

Independent laboratory: Janoshik

KLOW Blend 80 mg

Report

Janoshik task number	213349
Batch tested	NB20260728
Testing ordered	July 24, 2026
Sample received	July 27, 2026
Analysis conducted	July 29, 2026
Test	Identity and amount of each component. Purity was not part of this test.

Reported results

GHK-Cu	56.38 mg
GHK content	49.58 mg
Copper content	6.80 mg
TB-500	10.97 mg
BPC-157	11.65 mg
KPV	9.47 mg

Laboratory comment: KPV was reported in the comments field of the lab's report.

How this batch relates to the lot we sell

Manufacturer batch NB20260728 is the batch our supplier attests as the source of Derby City Labs lot PB260901-BBKG80-C8A2. This report tested the batch, not that exact lot.

Verify the original with the laboratory

Open janoshik.com/verify and enter the task number and unique key below.

Task number **213349** Unique key **1EE5GEP1L9EC**

Source and identity disclosure. This Derby City Labs document is a transcription of a test report issued by Janoshik, an independent analytical laboratory in the Czech Republic. Derby City Labs did not perform this test and did not commission it. The analytical values above are copied exactly from the laboratory's report and have not been altered or rounded. The laboratory's own report, which can be retrieved with the task number and key above, is the authoritative record.

Use limitation. Analytical reference only. This summary is not an original certificate of analysis, does not replace the laboratory's record, and makes no representation about any sample or batch other than the one identified above.

For laboratory research use only. Not for human consumption.